

Moon 3SU

MN03 Suspended

-  IP65
-  IK04
-  Class III
-  CE certification
-  ETL certification
-  SALT SPRAY TESTED (over 1000 hours)
-  Net Weight 0.32kgs
-  PVC cable 1M 2*20#
-  CREE COB LED
-  SDCM<5
-  Ra≥80
-  3 or 5 Years Warranty



Electrophoresis + Painted available colour for housing:


• General Data

Power	Lumen	CCT	Beam angle	Input voltage	Cover	Housing
3 Watt	240 lm	2700K 3000K 4000K 6000K	15°, 24°, 36°, 60°	AC12V as standard (AC100-245V 50/60Hz optional)	Aluminium	Aluminium in coffee silver as standard or dark grey, Black, white

• Dimension

36°


• Accessories

Suspended part (Customers need to buy the steel rope at local market)

Shield 03



Included

Optional



Moon 8SU

MN08 Suspended



IP65



IK04



Class III



CE certification



ETL certification



SALT SPRAY TESTED (over 1000 hours)



Net Weight 0.42kgs



PVC cable 1M 2*20#



CREE COB LED



SDCM<5



Ra ≥ 80



3 or 5 Years Warranty




Electrophoresis + Painted available colour for housing:



• General Data

Power	Lumen	CCT	Beam angle	Input voltage	Cover	Housing
8 Watt	540 lm	2700K 3000K 4000K 6000K	10°, 15°, 24°, 36°, 60°	AC12V as standard (AC100-245V 50/60Hz optional)	Aluminium	Aluminium in coffee silver as standard or dark grey, Black, white

• Dimension



• Accessories

Suspended part (Customers need to buy the steel rope at local market)

Shield 08



Included

Optional

20° to 50°Zoomable



Moon Zoom8SUF

MN08 Zoom Suspended



IP65



IK04



Class III



CE certification



ETL certification



SALT SPRAY TESTED (over 1000 hours)



Net Weight 0.4kgs



PVC cable 1M 2*20#




CREE COB LED



SDCM<5



Ra≥80



3 or 5 Years Warranty





Electrophoresis + Painted available colour for housing:



• General Data

Power	Lumen	CCT	Beam angle	Input voltage	Cover	Housing
8 Watt	550 lm	2700K 3000K 4000K 6000K	Zoom 20° to 50°	AC12V as standard (AC100-245V 50/60Hz optional)	Aluminium	Aluminium in coffee silver as standard or dark grey, Black, white

• Dimension



20°

• Accessories

Suspended part (Customers need to buy the steel rope at local market)



Included

