



Indoor Luminaire Photometric Data

Description Information

Luminary Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Date: 2018/01/30
Manufacture:	Shld. Ang(°):	Test Machine:GON-2000
Test Lab:	Frequency (Hz):	Lamp CCT (K): Ra:
Lum. Size (W*L*H):0.050m*0.050m*0.000m	Lum. Area (m2):0.002	Lum. W (kg): 0.000
Test System: C, γ	Test Step: C=30.0 γ=1.0	Temp. (°C): 25
		Humidity(%):


Character Parameter

Lamp Speciality Parameter	Luminaire Speciality Parameter	
Rated Flux(lm): 1000.000	Luminary Flux(lm): 49.579	Field Angle(10%Imax): 27.8(°)
Rated Power(W):	Luminary Efficiency: 4.96%	Down Lumens&Percent: 49.569lm 99.98%
Rated Voltage(V):	Luminary EER(lm/W): 106.622	Up Lumens&Percent: 0.011lm 0.02%
Tested Power(W): 0.465	Max. Candela(cd): 454.922	S/MH: C0_a180=0.276 C90_270=0.287
Lamps' Inside: 1	Max Cand@Ang. (°): C=240.0 γ=4.0	CIE Type: Semi-Direct
Tested Electrics (V, A, pf):3.0, 0.155	Beam Angle(50%Imax): 15.5(°)	ErP Φ use(90°): 50.384lm
Lamp Size (W*L*H):0.050m*0.050m*0.000m	Left=-4.1°, Right=11.5°	IRF(%): 2305.469



2D Plane Light Intensity Distribution Curve


Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30



3D Light Intensity Distribution Modal

Lum. Name:	Lum. Catelog:	Test ID:
Lamp Name:	Lamp Catelog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30

3D Light Intensity Distribution Modal



Zonal Flux Tabulation


Zone(γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone(γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
0.0-1.0	0.38	0.38	0.04	0.04	47.0-48.0	0.02	49.53	0.00	4.95
1.0-2.0	1.10	1.48	0.11	0.15	48.0-49.0	0.01	49.55	0.00	4.95
2.0-3.0	1.77	3.25	0.18	0.32	49.0-50.0	0.01	49.56	0.00	4.96
3.0-4.0	2.34	5.59	0.23	0.56	50.0-51.0	0.01	49.56	0.00	4.96
4.0-5.0	2.80	8.39	0.28	0.84	51.0-52.0	0.00	49.57	0.00	4.96
5.0-6.0	3.10	11.48	0.31	1.15	52.0-53.0	0.00	49.57	0.00	4.96
6.0-7.0	3.24	14.72	0.32	1.47	53.0-54.0	0.00	49.57	0.00	4.96
7.0-8.0	3.23	17.95	0.32	1.80	54.0-55.0	0.00	49.57	0.00	4.96
8.0-9.0	3.10	21.05	0.31	2.10	55.0-56.0	0.00	49.57	0.00	4.96
9.0-10.0	2.89	23.93	0.29	2.39	56.0-57.0	0.00	49.57	0.00	4.96
10.0-11.0	2.62	26.56	0.26	2.66	57.0-58.0	0.00	49.57	0.00	4.96
11.0-12.0	2.32	28.87	0.23	2.89	58.0-59.0	0.00	49.57	0.00	4.96
12.0-13.0	1.98	30.86	0.20	3.09	59.0-60.0	0.00	49.57	0.00	4.96
13.0-14.0	1.65	32.51	0.17	3.25	60.0-61.0	0.00	49.57	0.00	4.96
14.0-15.0	1.39	33.90	0.14	3.39	61.0-62.0	0.00	49.57	0.00	4.96
15.0-16.0	1.20	35.10	0.12	3.51	62.0-63.0	0.00	49.57	0.00	4.96
16.0-17.0	1.07	36.17	0.11	3.62	63.0-64.0	0.00	49.57	0.00	4.96
17.0-18.0	0.98	37.15	0.10	3.71	64.0-65.0	0.00	49.57	0.00	4.96
18.0-19.0	0.91	38.06	0.09	3.81	65.0-66.0	0.00	49.57	0.00	4.96
19.0-20.0	0.86	38.92	0.09	3.89	66.0-67.0	0.00	49.57	0.00	4.96
20.0-21.0	0.82	39.73	0.08	3.97	67.0-68.0	0.00	49.57	0.00	4.96
21.0-22.0	0.78	40.52	0.08	4.05	68.0-69.0	0.00	49.57	0.00	4.96
22.0-23.0	0.75	41.27	0.07	4.13	69.0-70.0	0.00	49.57	0.00	4.96
23.0-24.0	0.72	41.98	0.07	4.20	70.0-71.0	0.00	49.57	0.00	4.96
24.0-25.0	0.69	42.67	0.07	4.27	71.0-72.0	0.00	49.57	0.00	4.96
25.0-26.0	0.66	43.33	0.07	4.33	72.0-73.0	0.00	49.57	0.00	4.96
26.0-27.0	0.62	43.95	0.06	4.40	73.0-74.0	0.00	49.57	0.00	4.96
27.0-28.0	0.59	44.54	0.06	4.45	74.0-75.0	0.00	49.57	0.00	4.96
28.0-29.0	0.56	45.10	0.06	4.51	75.0-76.0	0.00	49.57	0.00	4.96
29.0-30.0	0.52	45.63	0.05	4.56	76.0-77.0	0.00	49.57	0.00	4.96
30.0-31.0	0.49	46.12	0.05	4.61	77.0-78.0	0.00	49.57	0.00	4.96
31.0-32.0	0.46	46.57	0.05	4.66	78.0-79.0	0.00	49.57	0.00	4.96
32.0-33.0	0.42	46.99	0.04	4.70	79.0-80.0	0.00	49.57	0.00	4.96
33.0-34.0	0.39	47.39	0.04	4.74	80.0-81.0	0.00	49.57	0.00	4.96
34.0-35.0	0.36	47.74	0.04	4.77	81.0-82.0	0.00	49.57	0.00	4.96
35.0-36.0	0.33	48.07	0.03	4.81	82.0-83.0	0.00	49.57	0.00	4.96
36.0-37.0	0.29	48.36	0.03	4.84	83.0-84.0	0.00	49.57	0.00	4.96
37.0-38.0	0.25	48.60	0.02	4.86	84.0-85.0	0.00	49.57	0.00	4.96
38.0-39.0	0.21	48.81	0.02	4.88	85.0-86.0	0.00	49.57	0.00	4.96
39.0-40.0	0.18	48.99	0.02	4.90	86.0-87.0	0.00	49.57	0.00	4.96
40.0-41.0	0.15	49.14	0.01	4.91	87.0-88.0	0.00	49.57	0.00	4.96
41.0-42.0	0.12	49.26	0.01	4.93	88.0-89.0	0.00	49.57	0.00	4.96
42.0-43.0	0.09	49.36	0.01	4.94	89.0-90.0	0.00	49.57	0.00	4.96
43.0-44.0	0.06	49.42	0.01	4.94	90.0-91.0	0.00	49.57	0.00	4.96
44.0-45.0	0.04	49.46	0.00	4.95	91.0-92.0	0.00	49.57	0.00	4.96
45.0-46.0	0.03	49.49	0.00	4.95	92.0-93.0	0.00	49.57	0.00	4.96
46.0-47.0	0.02	49.52	0.00	4.95	93.0-94.0	0.00	49.57	0.00	4.96

Zonal Flux Tabulation - (Cont.)

Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp	Zone (γ)	Zone Flux (lm)	Sums Flux (lm)	Zone%Lamp	Sums%Lamp
94.0-95.0	0.00	49.57	0.00	4.96	141.0-142.0	0.00	49.57	0.00	4.96
95.0-96.0	0.00	49.57	0.00	4.96	142.0-143.0	0.00	49.57	0.00	4.96
96.0-97.0	0.00	49.57	0.00	4.96	143.0-144.0	0.00	49.57	0.00	4.96
97.0-98.0	0.00	49.57	0.00	4.96	144.0-145.0	0.00	49.57	0.00	4.96
98.0-99.0	0.00	49.57	0.00	4.96	145.0-146.0	0.00	49.57	0.00	4.96
99.0-100.0	0.00	49.57	0.00	4.96	146.0-147.0	0.00	49.57	0.00	4.96
100.0-101.0	0.00	49.57	0.00	4.96	147.0-148.0	0.00	49.57	0.00	4.96
101.0-102.0	0.00	49.57	0.00	4.96	148.0-149.0	0.00	49.57	0.00	4.96
102.0-103.0	0.00	49.57	0.00	4.96	149.0-150.0	0.00	49.57	0.00	4.96
103.0-104.0	0.00	49.57	0.00	4.96	150.0-151.0	0.00	49.57	0.00	4.96
104.0-105.0	0.00	49.57	0.00	4.96	151.0-152.0	0.00	49.57	0.00	4.96
105.0-106.0	0.00	49.57	0.00	4.96	152.0-153.0	0.00	49.57	0.00	4.96
106.0-107.0	0.00	49.57	0.00	4.96	153.0-154.0	0.00	49.57	0.00	4.96
107.0-108.0	0.00	49.57	0.00	4.96	154.0-155.0	0.00	49.57	0.00	4.96
108.0-109.0	0.00	49.57	0.00	4.96	155.0-156.0	0.00	49.57	0.00	4.96
109.0-110.0	0.00	49.57	0.00	4.96	156.0-157.0	0.00	49.57	0.00	4.96
110.0-111.0	0.00	49.57	0.00	4.96	157.0-158.0	0.00	49.57	0.00	4.96
111.0-112.0	0.00	49.57	0.00	4.96	158.0-159.0	0.00	49.57	0.00	4.96
112.0-113.0	0.00	49.57	0.00	4.96	159.0-160.0	0.00	49.57	0.00	4.96
113.0-114.0	0.00	49.57	0.00	4.96	160.0-161.0	0.00	49.57	0.00	4.96
114.0-115.0	0.00	49.57	0.00	4.96	161.0-162.0	0.00	49.57	0.00	4.96
115.0-116.0	0.00	49.57	0.00	4.96	162.0-163.0	0.00	49.57	0.00	4.96
116.0-117.0	0.00	49.57	0.00	4.96	163.0-164.0	0.00	49.57	0.00	4.96
117.0-118.0	0.00	49.57	0.00	4.96	164.0-165.0	0.00	49.57	0.00	4.96
118.0-119.0	0.00	49.57	0.00	4.96	165.0-166.0	0.00	49.57	0.00	4.96
119.0-120.0	0.00	49.57	0.00	4.96	166.0-167.0	0.00	49.57	0.00	4.96
120.0-121.0	0.00	49.57	0.00	4.96	167.0-168.0	0.00	49.57	0.00	4.96
121.0-122.0	0.00	49.57	0.00	4.96	168.0-169.0	0.00	49.57	0.00	4.96
122.0-123.0	0.00	49.57	0.00	4.96	169.0-170.0	0.00	49.58	0.00	4.96
123.0-124.0	0.00	49.57	0.00	4.96	170.0-171.0	0.00	49.58	0.00	4.96
124.0-125.0	0.00	49.57	0.00	4.96	171.0-172.0	0.00	49.58	0.00	4.96
125.0-126.0	0.00	49.57	0.00	4.96	172.0-173.0	0.00	49.58	0.00	4.96
126.0-127.0	0.00	49.57	0.00	4.96	173.0-174.0	0.00	49.58	0.00	4.96
127.0-128.0	0.00	49.57	0.00	4.96	174.0-175.0	0.00	49.58	0.00	4.96
128.0-129.0	0.00	49.57	0.00	4.96	175.0-176.0	0.00	49.58	0.00	4.96
129.0-130.0	0.00	49.57	0.00	4.96	176.0-177.0	0.00	49.58	0.00	4.96
130.0-131.0	0.00	49.57	0.00	4.96	177.0-178.0	0.00	49.58	0.00	4.96
131.0-132.0	0.00	49.57	0.00	4.96	178.0-179.0	0.00	49.58	0.00	4.96
132.0-133.0	0.00	49.57	0.00	4.96	179.0-180.0	0.00	49.58	0.00	4.96
133.0-134.0	0.00	49.57	0.00	4.96					
134.0-135.0	0.00	49.57	0.00	4.96					
135.0-136.0	0.00	49.57	0.00	4.96					
136.0-137.0	0.00	49.57	0.00	4.96					
137.0-138.0	0.00	49.57	0.00	4.96					
138.0-139.0	0.00	49.57	0.00	4.96					
139.0-140.0	0.00	49.57	0.00	4.96					
140.0-141.0	0.00	49.57	0.00	4.96					

Rectangle ISO Lighting Intensity Diagram


Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30



Plane ISO-Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30

Plane ISO-Illuminance Curve




Working Plane Luminaire Mounting Height(m): 3.00
Working Plane Maximum Illuminance(lx): 50.18
Working Plane Maximum Illuminance Position(d/h):H-0.1 V-0.0

3D Plane ISO Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30

3D Plane Illuminance Modal




Curves: 3D Model — 90% — 80% — 70% — 60% — 50% — 40% — 30% — 20% — 10% —
View Angles(deg): 0 Height(m): 3.0 Distance(m): 10.0

Space ISO Illuminance Diagram

Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30


Space ISO Illuminance Curve



Space Plane Maximum Illuminance and @Angle:394.71lx,0.0deg
Plane Maximum Lighting Intensity and @Angle:394.711cd,0deg

Illuminance-Distance Diagram

Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30



Indoor Luminance Limiting Curves

Table with 3 columns: Lum. Name, Lum. Catalog, Test ID, Lamp Name, Lamp Catalog, Test Lab, Manufacture, Test Machine, Test Date.


Glare Grade Table

Table with 10 columns: GI, Quality, and 8 columns for Using Illuminance (2000, 1000, 500, <=300, etc.).

Luminance Table

Table with 10 columns: Gama (deg), 45, 50, 55, 60, 65, 70, 75, 80, 85, and 3 rows of data (C0, C90, etc.).


Luminance Limiting Curve



Luminous Size: Length(m)=-0.050 Width(m)=-0.050 Height(m)=0.000 Area(m^2)=0.001963
Luminous Type: Without Luminous Side
Luminous Curves: C0-C180 Color: C90-C270 Color:

Indoor Budgetary Estimate Table

Lum. Name:	Lum. Catalog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30



Indoor Coefficient of Utilization Table

Lum. Name:	Lum. Catelog:	Test ID:
Lamp Name:	Lamp Catelog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30

Coefficients of Utilization - Zonal Cavity Method																		
Coef.	Effective Floor Cavity Reflectance RFC=0.20																	
RhoCC (%)	80				70				50			30			10			0
RhoW (%)	70	50	30	10	70	50	30	10	50	30	10	50	30	10	50	30	10	0
RCR	Coefficient of Utilization(%)																	
0	6	6	6	6	6	6	6	6	6	6	6	5	5	5	5	5	5	5
1	6	6	6	5	6	6	5	5	5	5	5	5	5	5	5	5	5	5
2	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
3	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4	4
5	5	5	5	4	5	5	5	4	5	5	4	5	4	4	5	4	4	4
6	5	5	4	4	5	5	4	4	5	4	4	4	4	4	4	4	4	4
7	5	5	4	4	5	4	4	4	4	4	4	4	4	4	4	4	4	4
8	5	4	4	4	5	4	4	4	4	4	4	4	4	4	4	4	4	4
9	5	4	4	4	5	4	4	4	4	4	4	4	4	4	4	4	4	4
10	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4

Unified Glare Rating Table

Lum. Name:	Lum. Catelog:	Test ID:
Lamp Name:	Lamp Catalog:	Test Lab:
Manufacture:	Test Machine:GON-2000	Test Date: 2018/01/30

Unified Glare Rating Table

Ceiling RCC	0.70	0.70	0.50	0.50	0.30	0.70	0.70	0.50	0.50	0.30
Wall RW	0.50	0.30	0.50	0.30	0.30	0.50	0.30	0.50	0.30	0.30
Floor RFC	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20
Room Size	Vewed crosswise					Vewed endwise				
X=2H Y=2H	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
X=4H Y=2H	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
X=8H Y=4H	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	11.9	1.4	1.4	1.4	1.4	11.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
X=12H Y=4H	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
	1.9	1.9	1.9	1.9	1.9	1.4	1.4	1.4	1.4	1.4
Variations with the objerver position at spacings										
S=1.0H	0.0/0.0					0.0/0.0				
S=1.5H	0.0/0.0					0.0/0.0				
S=2.0H	0.0/0.0					0.0/0.0				
Reduced UGR Table:										
Nordic Standard Table:	BK0					BK0				
Correction Value	0.0					0.0				

o the CIE Pub.117,data has been corrected,refers to the lamp's lumens 8.2flm.

IES Indoor Report
Photometric Filename:UL-1007-0100-B 15°.IES

Candela Tabulation

V/H	C0.0	C30.0	C60.0	C90.0	C120.0	C150.0	C180.0	C210.0	C240.0	C270.0	C300.0	C330.0
γ 0.0	394.71	394.71	394.71	394.71	394.71	394.71	394.71	394.71	394.71	394.71	394.71	394.71
γ 1.0	364.74	346.23	344.41	350.26	377.43	408.17	406.83	414.91	422.37	421.64	419.51	413.85
γ 2.0	334.15	306.06	303.13	308.51	343.14	388.32	412.02	430.63	442.08	439.52	424.93	401.39
γ 3.0	300.13	269.20	266.37	272.75	307.00	359.20	409.77	440.62	451.88	451.79	422.41	383.95
γ 4.0	263.64	236.14	230.44	236.82	272.15	327.84	393.29	435.80	454.92	451.99	408.35	354.88
γ 5.0	228.83	201.82	194.12	201.78	237.48	293.28	366.55	421.26	447.01	439.55	379.06	319.81
γ 6.0	194.76	167.37	157.46	163.03	202.09	259.14	333.13	399.48	423.64	416.48	342.32	283.35
γ 7.0	163.90	133.18	119.62	124.48	162.86	223.56	301.64	366.30	395.58	379.01	303.47	247.35
γ 8.0	130.82	96.44	86.03	90.72	121.70	185.16	271.45	331.69	360.93	337.18	267.87	213.33
γ 9.0	94.78	66.04	60.93	66.33	88.44	144.07	239.26	298.87	321.35	296.12	235.04	182.70
γ 10.0	64.66	45.53	44.85	50.82	65.01	105.99	201.60	262.68	281.93	255.64	202.87	150.24
γ 11.0	46.05	35.81	35.99	40.44	49.89	77.34	158.86	228.26	244.98	217.62	167.37	112.64
γ 12.0	36.83	30.68	30.71	33.94	40.93	58.31	117.05	186.83	207.26	181.23	130.84	75.83
γ 13.0	31.54	27.06	26.98	29.76	35.02	46.46	86.82	139.63	164.95	139.73	94.45	53.44
γ 14.0	27.77	24.54	24.22	26.48	30.76	39.10	67.52	100.08	122.47	103.15	67.11	42.26
γ 15.0	24.94	22.42	22.09	23.96	27.42	34.21	54.67	75.68	88.54	77.77	49.55	35.76
γ 16.0	22.72	20.56	20.25	21.81	24.82	30.44	45.42	60.41	66.46	60.88	40.19	31.18
γ 17.0	20.81	18.99	18.82	19.98	22.82	27.46	37.93	49.50	52.96	48.56	34.50	27.65
γ 18.0	19.18	17.64	17.59	18.60	21.13	24.91	32.67	41.31	43.88	40.05	30.36	24.83
γ 19.0	17.68	16.33	16.27	17.32	19.71	22.72	28.84	35.15	37.30	34.50	27.09	22.60
γ 20.0	16.36	15.35	15.23	16.04	18.34	20.93	25.95	30.58	32.43	30.41	24.58	20.75
γ 21.0	15.29	14.22	14.18	14.88	17.17	19.50	23.67	27.15	28.79	27.25	22.57	19.25
γ 22.0	14.13	12.92	12.91	13.63	15.99	18.22	21.76	24.60	25.96	24.76	20.98	17.82
γ 23.0	12.79	11.62	11.56	12.35	14.70	16.97	20.16	22.46	23.72	22.71	19.52	16.64
γ 24.0	11.53	10.50	10.44	11.20	13.40	15.73	18.72	20.77	21.87	20.99	18.18	15.46
γ 25.0	10.41	9.56	9.53	10.19	12.20	14.55	17.42	19.32	20.18	19.46	16.94	14.08
γ 26.0	9.39	8.72	8.64	9.30	11.08	13.42	16.09	17.91	18.70	18.06	15.65	12.68
γ 27.0	8.52	7.92	7.83	8.47	10.16	12.30	14.88	16.71	17.45	16.63	14.20	11.39
γ 28.0	7.72	7.19	7.08	7.67	9.30	11.28	13.69	15.57	16.16	15.20	12.82	10.33
γ 29.0	6.94	6.51	6.36	6.91	8.49	10.31	12.52	14.41	14.78	13.84	11.56	9.41
γ 30.0	6.26	5.82	5.68	6.20	7.71	9.40	11.40	13.19	13.49	12.59	10.48	8.53
γ 31.0	5.61	5.18	5.03	5.54	6.98	8.52	10.40	12.05	12.27	11.47	9.55	7.71
γ 32.0	5.00	4.59	4.42	4.92	6.26	7.72	9.49	10.99	11.21	10.46	8.68	6.96
γ 33.0	4.45	4.02	3.81	4.35	5.59	6.94	8.60	10.03	10.27	9.51	7.85	6.25
γ 34.0	3.93	3.52	3.28	3.69	4.91	6.17	7.79	9.15	9.40	8.67	7.10	5.57
γ 35.0	3.46	3.05	2.82	3.14	4.28	5.48	7.03	8.29	8.59	7.86	6.39	4.92
γ 36.0	3.04	2.37	1.94	2.75	3.72	4.81	6.26	7.46	7.78	7.09	5.67	4.30
γ 37.0	2.20	1.30	1.19	2.07	3.15	4.18	5.53	6.68	7.02	6.38	4.95	3.72
γ 38.0	1.22	0.82	0.86	1.13	2.54	3.65	4.88	5.91	6.30	5.70	4.30	3.18
γ 39.0	0.83	0.62	0.67	0.79	1.49	3.16	4.28	5.19	5.62	5.06	3.73	2.28
γ 40.0	0.64	0.50	0.51	0.64	0.96	2.47	3.73	4.56	4.98	4.48	3.19	1.22
γ 41.0	0.50	0.41	0.41	0.51	0.74	1.35	3.21	3.97	4.39	3.97	2.23	0.77
γ 42.0	0.41	0.33	0.34	0.39	0.60	0.87	2.51	3.39	3.84	3.31	1.18	0.59
γ 43.0	0.34	0.26	0.25	0.33	0.49	0.69	1.36	2.26	3.09	2.05	0.78	0.49
γ 44.0	0.27	0.22	0.18	0.26	0.40	0.54	0.81	1.23	1.77	1.22	0.58	0.38
γ 45.0	0.22	0.13	0.10	0.16	0.31	0.43	0.63	0.82	0.99	0.83	0.46	0.31
γ 46.0	0.13	0.01	0.00	0.04	0.23	0.35	0.52	0.67	0.74	0.62	0.38	0.26

Candela Tabulation - (Cont.)

V/H	C0. 0	C30. 0	C60. 0	C90. 0	C120. 0	C150. 0	C180. 0	C210. 0	C240. 0	C270. 0	C300. 0	C330. 0
γ 47. 0	0. 02	0. 00	0. 00	0. 00	0. 11	0. 28	0. 39	0. 54	0. 56	0. 51	0. 30	0. 19
γ 48. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 18	0. 31	0. 42	0. 46	0. 43	0. 23	0. 12
γ 49. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 07	0. 26	0. 35	0. 38	0. 35	0. 18	0. 04
γ 50. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 19	0. 30	0. 31	0. 29	0. 13	0. 00
γ 51. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 08	0. 21	0. 24	0. 22	0. 00	0. 00
γ 52. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 11	0. 16	0. 12	0. 00	0. 00
γ 53. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 05	0. 00	0. 00	0. 00
γ 54. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 55. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 56. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 57. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 58. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 59. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 60. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 61. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 62. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 63. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 64. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 65. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 66. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 67. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 68. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 69. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 70. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 71. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 72. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 73. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 74. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 75. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 76. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 77. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 78. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 79. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 80. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 81. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 82. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 83. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 84. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 85. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 86. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 87. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 88. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 89. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 90. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 91. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 92. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 93. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00

IES Indoor Report
Photometric Filename:UL-1007-0100-B 15°.IES

Candela Tabulation - (Cont.)

V/H	C0. 0	C30. 0	C60. 0	C90. 0	C120. 0	C150. 0	C180. 0	C210. 0	C240. 0	C270. 0	C300. 0	C330. 0
γ 94. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 95. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 96. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 97. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 98. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 99. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 100. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 101. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 102. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 103. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 104. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 105. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 106. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 107. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 108. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 109. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 110. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 111. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 112. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 113. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 114. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 115. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 116. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 117. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 118. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 119. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 120. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 121. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 122. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 123. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 124. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 125. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 126. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 127. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 128. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 129. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 130. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 131. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 132. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 133. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 134. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 135. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 136. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 137. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 138. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 139. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00
γ 140. 0	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00

Candela Tabulation - (Cont.)

V/H	C0.0	C30.0	C60.0	C90.0	C120.0	C150.0	C180.0	C210.0	C240.0	C270.0	C300.0	C330.0
γ 141.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 142.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 143.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 144.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 145.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 146.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 147.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 148.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 149.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 150.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 151.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 152.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 153.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 154.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 155.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 156.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 157.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 158.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 159.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 160.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
γ 161.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
γ 162.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
γ 163.0	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
γ 164.0	0.00	0.01	0.00	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.04	0.08
γ 165.0	0.03	0.03	0.03	0.01	0.04	0.00	0.00	0.00	0.00	0.00	0.05	0.09
γ 166.0	0.03	0.05	0.02	0.04	0.04	0.02	0.02	0.04	0.00	0.00	0.05	0.11
γ 167.0	0.04	0.04	0.01	0.04	0.06	0.03	0.05	0.04	0.01	0.01	0.08	0.13
γ 168.0	0.06	0.03	0.02	0.03	0.08	0.05	0.05	0.06	0.04	0.04	0.10	0.12
γ 169.0	0.04	0.04	0.01	0.04	0.07	0.08	0.06	0.08	0.04	0.06	0.09	0.13
γ 170.0	0.03	0.02	0.00	0.04	0.06	0.07	0.08	0.08	0.05	0.05	0.10	0.14
γ 171.0	0.02	0.00	0.00	0.02	0.06	0.09	0.08	0.09	0.05	0.07	0.10	0.12
γ 172.0	0.01	0.00	0.00	0.01	0.04	0.08	0.08	0.09	0.06	0.07	0.09	0.12
γ 173.0	0.00	0.00	0.00	0.00	0.03	0.06	0.07	0.08	0.05	0.08	0.08	0.10
γ 174.0	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.06	0.07	0.06	0.08	0.09
γ 175.0	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.05	0.05	0.05	0.06	0.06
γ 176.0	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.04	0.02	0.05	0.05	0.03
γ 177.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.02	0.05	0.02
γ 178.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.01
γ 179.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
γ 180.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00